

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(((email or e-mail or mail) and (stored or assigned or provided or predefined) and (id or username o..."))

Your search matched 3 of 237288 documents.

A maximum of 100 results are displayed, 100 to a page, sorted by Relevance in Descending order.

e-mail create account

Join IEEE Now

Learn More >

Search Options

[View Session History](#)[New Search](#)

Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
AIP JNL	AIP Journal
AVS JNL	AVS Journal
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard
	Indicates open access content

Modify Search

(((email or e-mail or mail) and (stored or assigned or provided or predefined) and (id or user

Search >

☐ Check to search only within this results setDisplay Format: ☐ Citation ☒ Citation & Abstract

IEEE/ET/AP/AVS

Books

Educational Courses

Application Notes [Beta]

Interactive online content developed from IEEE conference tutorials.

view selected items | [Select All](#) [Deselect All](#)☐ 1. Securing email archives through user modeling

Yiru Li; Somayaji, A.;

[Computer Security Applications Conference, 21st Annual](#)

5-9 Dec. 2005 Page(s):10 pp. - 556

Digital Object Identifier 10.1109/CSAC.2005.50

Summary: Online email archives are an under-protected yet extremely sensitive information resource. Email archives can store years worth of personal and business email in an easy-to-access form, one that is much easier to compromise than messages being transm.....

[AbstractPlus](#) | Full Text: [PDF](#) (251 KB) IEEE CNF[Rights and Permissions](#)☐ 2. Simple Authentication for the Web

van der Horst, Timothy W.; Seamons, Kent E.;

[Security and Privacy in Communications Networks and the Workshops, 2007. SecureComm 2007. Third International Conference on](#)

17-21 Sept. 2007 Page(s):473 - 482

Digital Object Identifier 10.1109/SECCOM.2007.4550369

Summary: Automated email-based password reestablishment (EBPR) is an efficient, cost-effective means to deal with forgotten passwords. In this technique, email providers authenticate users on behalf of web sites. This method works because web sites trust email.....

[AbstractPlus](#) | Full Text: [PDF](#) (1925 KB) IEEE CNF[Rights and Permissions](#)☐ 3. PhishGuard: A browser plug-in for protection from phishing

Joshi, Y.; Saklikar, S.; Das, D.; Saha, S.;

[Internet Multimedia Services Architecture and Applications, 2008. IMSAA 2008, 2nd International Conference on](#)

10-12 Dec. 2008 Page(s):1 - 6

Digital Object Identifier 10.1109/IMSAA.2008.4753929

Summary: Phishing is an act of identity theft aimed at acquiring sensitive information such as usernames, passwords, credit card detail etc., by masquerading as a trustworthy entity in an electronic communication. Phishers use a number of different social eng....

[AbstractPlus](#) | Full Text: [PDF](#) (636 KB) IEEE CNF[Rights and Permissions](#)

and search by



Organization IEEE - AS ENGINE RADIATION